





MINISTRY OF WATER AND SANITATION

UPPER TANA NATURAL RESOURCES MANAGEMENT PROJECT (UTaNRMP)

P.O. Box 996 - 60100 EMBU | Tel: 068 22 31376 | Email: info@utanrmp.or.ke | utanrmp@gmail.com | www.utanrmp.or.ke

Financed by;

Government of Kenya;

International Fund for Agricultural Development Loan No I-867-KE and Spanish Trust Fund Loan No I-E-8-KE and Beneficiaries

Project Lead Agency; Ministry of Water and sanitation

TENDER NO: MoW&S/UTaNRMP/NCB/04/2017-18

TENDER DOCUMENT FOR SUPPLY AND DELIVERY OF PIPES AND FITTINGS FOR GONDO, THATHAWA, GACHARU AND GATUNDU IRRIGATION PROJECTS IN MURANG'A COUNTY

Compiled by;

Project Coordination Team P.O. Box 996-60100 EMBU Tel 068- 31376, 31357 Email- utanrmp@gmail.com

TABLE OF CONTENTS

Contents

SECTION I INVITATION TO TENDER	
SECTION II - INSTRUCTIONS TO TENDERERS	
SECTION III: GENERAL CONDITIONS OF CONTRACT	
SECTION IV SPECIAL CONDITIONS OF CONTRACT	
SECTION V- TECHNICAL SPECIFICATIONS	27
SECTION VI- SCHEDULE OF REQUIREMENTS	35
SECTION VII - PRICE SCHEDULE FOR GOODS	42
SECTION VIII- STANDARD FORMS	43

SECTION I INVITATION TO TENDER



MINISTRY OF WATER AND SANITATION UPPER TANA NATURAL RESOURCES MANAGEMENT PROJECT (UTaNRMP)

P.O. Box 996-60100 Embu; Tel 068-2231376; Email:utanrmp@gmail.com

NATIONAL COMPETITIVE BIDDING

TENDER NAME	SUPPLY AND DELIVERY OF PIPES AND FITTINGS FOR GONDO,
	THATHAWA, GACHARU AND GATUNDU IRRIGATION PROJECTS
	IN MURANG'A COUNTY
TENDER NO	MoW&S/UTaNRMP/NCB/04/2017-18
PROJECT	UPPER TANA NATURAL RESOURCES MANAGEMENT PROJECT
NAME	(UTaNRMP)
LOAN/CREDIT	IFAD LOAN 1-867-KE and SPANISH TRUST LOAN E-8-KE
NO.	

The Government of Kenya has received financial assistance from the International Fund for Agricultural Development (IFAD) and the Spanish Trust Fund towards financing an eight year (2012-2020) Upper Tana Natural Resources Management Project. The goal of the project is to contribute to rural poverty reduction in the Upper Tana River Catchment through increased sustainable food production and incomes and sustainable management of natural resources for provision of environmental services. The Project Lead Agency is the Ministry of Water and sanitation. The project area covers six counties namely: Muranga, Meru, TharakaNithi, Nyeri, Kirinyaga and Muranga. The area includes Mount Kenya and Aberdare National Parks.

The project intends to use part of the funds to procure pipes and fittings for implementation of Gondo water, Thathawa, Gacharu and Gatundu Irrigation Projects in Murang'a County. Towards accomplishing its objectives the Upper Tana Natural Resources Management Project (UTaNRMP) now invites sealed tenders from prequalified tenderers for SUPPLY AND DELIVERY OF PIPES AND FITINGS FOR Gondo water project, Thathawa, Gacharu and Gatundu Projects in Murang'a County as per specifications in the tender document.

Qualification requirements include: valid tax compliance; documentary evidence of having executed at least three contracts of similar natures and magnitude for each lot within the period of last three years, audited accounts for the last two years single business permit, filled and signed form of tender, signed Anti-corruption pledge, serialization of all pages of the tender document, certificate of incorporation/registration, Bid security, manufacturer authorization and confidential business questionnaire among others as required in the tender document.

Prices quoted should be inclusive of all taxes and delivery and must be in Kenya Shillings and shall remain valid for (90) days from the closing date of the tender.

Completed tender documents in a plain sealed envelope and clearly marked 'Tender No: MoW&S/UTaNRMP/NCB/04/2017-18 for SUPPLY AND DELIVERY OF PIPES AND FITINGS FOR Gondo water project, Thathawa, Gacharu and Gatundu Irrigation Projects in Murang'a County should be addressed and sent to:

The Project Coordinator,
Upper Tana Natural Resources Management Project,
P.O BOX 996-60100
Tel: 254-68-2231376/2231517
EMBU

or dropped in the Tender Box situated at the **main entrance to the EMBU West Water offices** located on Embu-Meru Road after KALRO so as to reach the above address on or before **11.00 am on 22nd May 2018** Electronic tenders will not be accepted. Opening of the tenders will take place immediately thereafter in the project Documentation Centre in the presence of tenderers or their representatives who wish to attend. Late tenders will not be accepted regardless of the circumstances.

PROJECT COORDINATOR
UPPER TANA NATURAL RESOURCES MANAGEMENT PROJECT
FOR: PRINCIPAL SECRETARY, MINISTRY OF WATER AND SANITATION

SECTION II - INSTRUCTIONS TO TENDERERS

	2.1	Eligible tenderers	6
	2.2	Eligible goods	6
	2.3	Cost of tendering.	6
	2.4	Contents of Tender document	
	2.5	Clarification of documents	6
	2.6	Amendment of documents	7
	2.7	Language of tender	7
	2.8	Documents comprising the tender	7
	2.9	Tender forms	8
	2.10	Tender prices	
	2.11	Tender currencies	
	2.12	Tenderers eligibility and qualifications	9
	2.13	Goods' eligibility and conformity to	
		tender documents	9
	2.14	Tender security	
	2.15	Validity of tenders	
	2.16	Format and signing of tenders	
	2.17	Sealing and marking of tenders	
	2.18	Deadline for submission of tender	
	2.19	Modification and withdrawal of tenders	12
	2.20	Opening of tenders	13
	2.21	Clarification of tenders	
	2.22	Preliminary examination	13
	2.23	Conversion to single currency	
	2.24	Evaluation and comparison of tenders	
	2.25	Preference	
	2.26	Contacting the procuring entity	14
	2.27	Award of contract	15
	(a)	Post qualification	15
	(b)	Award criteria	15
	(c)	Procuring entity's right to vary quantities.	15
	(d)	Procuring entity's right to accept or	
		reject any or all tenders	15
	2.28	Notification of award	. 15
	2.29	Signing of contract	16
	2.30	Performance security	
	2.31	Corrupt or fraudulent practices	16
2.4	Appendix to I	nstructions to Tenderers17	

SECTION II - INSTRUCTIONS TO TENDERERS

2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers prequalified as described in the Appendix to Instructions to tenderers. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by The Procuring Entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

2.2 Eligible Goods

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

2.3 Cost of Tendering

- 2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.
- 2.3.2 The tender document shall not be changed

2.4. Contents of the Tender Document

- 2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers
 - (i) Invitation to Tender
 - (ii) Instructions to tenderers
 - (iii) General Conditions of Contract
 - (iv) Special Conditions of Contract
 - (v) Schedule of requirements
 - (vi) Technical Specifications
 - (vii) Tender Form and Price Schedules
 - (viii) Tender Security Form
 - (ix) Contract Form
 - (x) Performance Security Form
 - (xi) Bank Guarantee for Advance Payment Form
 - (xii) Manufacturer's Authorization Form
 - (xiii) Confidential Business Questionnaire
- 2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 Clarification of Documents

- 2.5.1 A prospective tenderer requiring any clarification of the tender document may notify The Procuring Entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.
- 2.5.2 The Procuring Entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

2.6 Amendment of Documents

- 2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.
- 2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.

2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

2.7 Language of Tender

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.8 **Documents Comprising the Tender**

- 2.8.1 The tender prepared by the tenderers shall comprise the following documents
 - (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
 - (b) documentary evidence established in accordance with paragraph 2.1 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
 - (c) documentary evidence established in accordance with paragraph 2.2 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
 - (d) tender security furnished in accordance with paragraph 2.14

2.9 **Tender Forms**

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

2.10 **Tender Prices**

- 2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of each lot it proposes to supply under the contract
- 2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the entity.
- 2.10.3 Prices quoted by the tenderer shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22
- 2.10.4 The validity period of the tender shall be 90 days from the date of opening of the tender.

2.11 **Tender Currencies**

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

2.12 Tenderers Eligibility and Qualifications

- 2.12.1 Pursuant to paragraph 2.1. the tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.
- 2.12.2The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1
- 2.12.3The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;
 - (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.
 - (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
 - (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Documents

- 2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract
- 2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.
- 2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:
 - (a) a detailed description of the essential technical and performance characteristic of the goods;
 - (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing

- functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the Procuring entity; and
- (c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- 2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.14 Tender Security

- 2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount specified in the Appendix to Invitation to Tenderers.
- 2.14.2 The tender security shall be in the amount of 2 per cent of the tender price.
- 2.14.3 The tender security is required to protect The Procuring Entity against the risk of Tenderer's conduct which would warrant the security's forfeiture.
- 2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company in the form provided in the tender documents or another form acceptable to The Procuring Entity and valid for thirty (30) days beyond the validity of the tender.
- 2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by The Procuring Entity as non-responsive, pursuant to paragraph 2.22
- 2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible as but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.
- 2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28
- 2.14.8 The tender security may be forfeited:
 - (a) if a tenderer withdraws its tender during the period of tender validity specified by The Procuring Entity on the Tender Form; or
 - (b) in the case of a successful tenderer, if the tenderer fails:
 - (i) to sign the contract in accordance with paragraph 2.27

or

(ii) to furnish performance security in accordance with paragraph 2.28

2.15 Validity of Tenders

- 2.15.1 Tenders shall remain valid for 90 days or as specified in the Invitation to Tender after the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by The Procuring Entity as non-responsive.
- 2.15.2 In exceptional circumstances, The Procuring Entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

2.16 Format and Signing of Tender

- 2.16.1 The Tenderer shall prepare two copies of the tender, clearly marking each "ORIGINAL TENDER" and "COPY OF TENDER," as appropriate. In the event of any discrepancy between them, the original shall govern.
- 2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for amended printed literature, shall be initialed by the person or persons signing the tender.
- 2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

2.17 Sealing and Marking of Tenders

- 2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.
- 2.17.2 The inner and outer envelopes shall:
 - (a) be addressed to The Procuring Entity at the address given in the Invitation to Tender:
 - (b) bear, tender number and name in the Invitation for Tenders and the words, "DO NOT OPEN BEFORE," 10.00 am on -----
- 2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared "late".

2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, The Procuring Entity will assume no responsibility for the tender's misplacement or premature opening.

2.18 **Deadline for Submission of Tenders**

- 2.18.1 Tenders must be received by The Procuring Entity at the address specified under paragraph 2.17.2 no later than 11.00 am on
- 2.18.2 The Procuring Entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of The Procuring Entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

2.19 Modification and Withdrawal of Tenders

- 2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by The Procuring Entityprior to the deadline prescribed for submission of tenders.
- 2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.
- 2.19.3 No tender may be modified after the deadline for submission of tenders.
- 2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7
- 2.19.5 The Procuring Entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 2.19.6 The Procuring Entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

2.20 Opening of Tenders

2.20.1 The Procuring Entity will open all tenders in the presence of tenderers' representatives who choose to attend, at 11.00 am on 24th March 2017 and in the location specified in the Invitation to Tender.

- The tenderers' representatives who are present shall sign a register evidencing their attendance.
- 2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.
- 2.20.3 The Procuring Entity will prepare minutes of the tender opening.

2.21 Clarification of Tenders

- 2.21.1 To assist in the examination, evaluation and comparison of tenders The Procuring Entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.
- 2.21.2 Any effort by the tenderer to influence The Procuring Entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.22 Preliminary Examination

- 2.22.1 The Procuring Entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.
- 2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail
- 2.22.3 The Procuring Entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.
- 2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 The Procuring Entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

2.22.5 If a tender is not substantially responsive, it will be rejected by The Procuring Entity and may not subsequently be made responsive by the tenderer by correction of the non-conformity.

2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, The Procuring Entity will convert these currencies to Kenya Shillings using the selling exchange rate on the Date of tender closing provided by the Central Bank of Kenya.

2.24 Evaluation and Comparison of Tenders

- 2.24.1 The Procuring Entitywill evaluate and compare the tenders per lot which have been determined to be substantially responsive, pursuant to paragraph 2.22
- 2.24.2 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.
- **2.24.3** A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

2.25 Preference

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 15%

2.26 Contacting the Procuring entity

- 2.26.1 Subject to paragraph 2.21 no tenderer shall contact The Procuring Entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.
- 2.26.2 Any effort by a tenderer to influence The Procuring Entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.27 Award of Contract

(a) **Post-qualification**

- 2.27.1 The Procuring Entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.
- 2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as The Procuring Entity deems necessary and appropriate.

2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event The Procuring Entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

(b) Award Criteria

2.27.4 The Procuring Entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

(c) Procuring entity's Right to Vary quantities

2.27.5 The Procuring Entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

(d) Procuring entity's Right to accept or Reject any or All Tenders

2.27.6 The Procuring Entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action

2.28 Notification of Award

- 2.28.1 Prior to the expiration of the period of tender validity, The Procuring Entity will notify the successful tenderer in writing that its tender has been accepted.
- 2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties
- 2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, The Procuring Entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

2.29 Signing of Contract

- 2.29.1 At the same time as The Procuring Entitynotifies the successful tenderer that its tender has been accepted, The Procuring Entitywill send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.
- 2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

2.30 Performance Security

- 2.30.1 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.
- 2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event The Procuring Entity may make the award to the next lowest evaluated Candidate or call for new tenders.

2.31 Corrupt or Fraudulent Practices

- 2.31.1 The Procuring Entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;
 - (i) "corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive The Procuring Entity of the benefits of free and open competition;
- 2.31.2 The Procuring Entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.
- 2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

2.4 Appendix to Instructions to Tenderers

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
2.1.1	Tenderers registered and doing business within Kenya as evidenced by qualification information of audited accounts for two years, valid tax compliance, at least three contracts of similar nature and magnitude.
2.1.2	Qualification requirements include copies of valid tax compliance; documentary evidence of having executed at least three contracts of similar natures and magnitude for each lot within the period of last three years, audited accounts for the last two years single business permit, filled and signed form of tender, signed Anti-corruption pledge, serialization of all pages of the tender document, certificate of incorporation/registration, Bid security, manufacturer authorization and confidential business questionnaire among others as required in the tender document.
2.14.1	Tender security will be K100, 000 for Lot 1, Kshs 53,000 for Lot 2 and Kshs 25,000 for Lot 3 in form of a Bank Guarantee as indicated in the form of tender.
2.18.1	22 nd May 2018 at 11:00 AM
2.22.1	It is mandatory that bidders serialise with indelible ink each page of their tender documents
2.22.2	Award will be at the amount submitted and read out from the form of tender (sec 82 of the PPADA 2015)
2.27.4	This tender contains three lots of items to be quoted for. It is important to note that the tenderer is supposed to tender as per lot. Each item in each lot must be tendered for otherwise the tenderer will be termed as non-responsive. Award of tender will be on a lot per lot basis and tenderers may choose which lot(s) to tender for.
2.29.1	As in 2.18.1 above
2.30.1	Performance security will be 10% of contract amount

SECTION III: GENERAL CONDITIONS OF CONTRACT

Table of Clauses

	F	Page
3.1	Definitions	. 1
3.2	Application	
3.3	Country of Origin	
3.4	Standards	1
3.5	Use of Contract documents and information	1
3.6	Patent Rights	2
3.7	Performance security	
3.8	Inspection and Tests	2
3.9	Packing	
3.10	Delivery and documents	
3.11	Insurance	
3.12	Payment	
3.13	Price	
3.14	Assignments	
3.15	Sub contracts	2
3.16	Termination for default	
3.17	Liquidated damages	. 2
3.18	Resolution of Disputes	
3.19	Language and law	
3.20	Force Majeure	

SECTION III - GENERAL CONDITIONS OF CONTRACT

3.1 **Definitions**

- 3.1.1 In this Contract, the following terms shall be interpreted as indicated:-
 - (a) "The Contract" means the agreement entered into between The Procuring Entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - (b) "The Contract Price" means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
 - (c) "The Goods" means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to The Procuring Entity under the Contract.
 - (d) "The Procuring entity" means the organization purchasing the Goods under this Contract.
 - (e) "The Tenderer' means the individual or firm supplying the Goods under this Contract.

3.2 **Application**

3.2.1 These General Conditions shall apply in all Contracts made by The Procuring Entity for the procurement installation and commissioning of equipment

3.3 Country of Origin

- 3.3.1 For purposes of this clause, "Origin" means the place where the Goods were mined, grown or produced.
- 3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

3.4 Standards

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 Use of Contract Documents and Information

3.5.1 The tenderer shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of The Procuring Entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.

- 3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above
- 3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of The Procuring Entity and shall be returned (all copies) to The Procuring Entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

3.6 **Patent Rights**

3.6.1 The tenderer shall indemnify The Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

3.7 **Performance Security**

- 3.7.1 Within ten (10) days of receipt of the notification of Contract award, the successful tenderer shall furnish to The Procuring Entity the performance security in the amount specified in Special Conditions of Contract.
- 3.7.2 The proceeds of the performance security shall be payable to The Procuring Entityas compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.
- 3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to The Procuring Entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.
- 3.7.4 The performance security will be discharged by The Procuring Entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

3.8 **Inspection and Tests**

- 3.8.1 The Procuring Entity or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The Procuring Entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.
- 3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.

- 3.8.3 Should any inspected or tested goods fail to conform to the Specifications, The Procuring Entity may reject the item/s, and the tenderer shall either replace the rejected item or make alterations necessary to make specification requirements free of costs to the Procuring entity.
- 3.8.4 The Procuring entity's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the item/s having previously been inspected, tested and passed by The Procuring Entity or its representative prior to the item/s delivery.
- 3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 **Packing**

- 3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.
- 3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

3.10 **Delivery and Documents**

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

3.11 **Insurance**

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

3.12 **Payment**

- 3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract
- 3.12.2 Payments shall be made promptly by The Procuring Entity as specified in the contract

3.13 Prices

3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in this tender.

- 3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 3.13.3 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.
- 3.13.4 Price variation request shall be processed by The Procuring Entity within 30 days of receiving the request.

3.14. Assignment

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

3.15 Subcontracts

3.15.1 The tenderer shall notify The Procuring Entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

3.16 Termination for default

- 3.16.1 The Procuring Entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part
 - (a) if the tenderer fails to deliver any or all of the goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity
 - (b) if the tenderer fails to perform any other obligation(s) under the Contract
 - (c) if the tenderer, in the judgment of The Procuring Entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract
- 3.16.2 In the event The Procuring Entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to The Procuring Entity for any excess costs for such similar goods.

3.17 Liquidated Damages

3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, The Procuring Entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated

damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.18 Resolution of Disputes

- 3.18.1 The Procuring Entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract
- 3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

3.19 Language and Law

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

3.20 Force Majeure

3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

SECTION IV- SPECIAL CONDITIONS OF CONTRACT

4.1. Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over these in the GCC.

42. Special conditions of contract as relates to the GCC

REFERENCE OF	SPECIAL CONDITIONS OF CONTRACT		
GCC			
3.3.1	Tenderers must specify country of origin and they must		
	also submit certificate/letter from the official local		
	distributor of the brand name product authorizing the		
	Tenderer to supply the product locally (in Kenya).		
3.7.1	Performance security shall be 10% of contract price		
3.8	Tenderers are informed that it is their responsibility to		
	comply with all environmental and water related laws		
	and guidelines in Kenya		
3.10.1	There shall be FOUR(4) delivery points which are:		
	a) KandaraTown-for Gatundu Irrigation W/P		
	b) Kiangochi Market- For Gacharu irrigation W/P		
	c) Sagana town- For Thathawa irrigation project		
	d) Kagongo market- For Gondo water project		
3.12.1	If required by the supplier, there will an advance		
	payment of up to a maximum of 10% of the contract		
	price upon submission of a bank guarantee for advance		
	payment from a reputable bank. The balance of the		
	contract price of the materials and goods delivered shall		
	be paid upon the delivery, inspection, testing and		
	acceptance of the same by the Procuring Entity.		
	Otherwise, one Hundred percent (100%) of the contract		
	price of the materials and goods delivered shall be paid		
	upon the delivery, inspection, testing and acceptance of		
2.12.2	the same by the Procuring Entity.		
3.13.2	No price adjustments are allowed for this contract.		
3.18.1	Any dispute or difference arising out of this Contract		
	which cannot be settled amicably shall be referred to the		
	arbitration of a person/institution to be agreed upon		
	between the Supplying firm and the client.		

SECTION V - TECHNICAL SPECIFICATIONS

5.1 General

- 5.1.1 These specifications describe the requirements for goods. Tenderers are requested to submit with their offers the detailed specifications, drawings, catalogues, etc for the products they intend to supply. Each item will be evaluated independently and the tenderers can choose which items to tender for.
- 5.1.2 Tenderers must indicate on the specifications sheets whether the equipment offered comply with each specified requirement.
- 5.1.3 All the dimensions and capacities of the equipment to be supplied shall not be less than those required in these specifications. Deviations from the basic requirements, if any shall be explained in detail in writing with the offer, with supporting data such as calculation sheets, etc. The Procuring Entity reserves the right to reject the products, if such deviations shall be found critical to the use and operation of the products.
- 5.1.4 The tenderers are requested to present information along with their offers as follows:
 - (i) Shortest possible delivery period of each product
 - (ii) Information on proper representative and/or workshop for back-up service/repair and maintenance including their names and addresses.

5.2 price Schedule of Goods

Tenderers should enclose details of all goods offered including manufacturer's literature, standards, performance data/curves, drawings etc. to enable evaluation of the compliance of the goods offered to the specifications. The pipes and fittings will be supplied as follows:-

A) GONDO WATER PROJECT

INTAKE AUGMENTATION				
Item	Description	Unit	Quantity	
1.0				
	150mm dia uPVC PN8	M	126	
1.1	100mm dia uPVC PN8	M	552	
1.7	20mm Service water meters	No	63	

B) GATUNDU IRRIGATION PROJECT

Item	Description	Unit	Qty
1.0	Pipes		
1.1	150mm GI Pipe Class "B" double flanged complete with bolts, nuts, washers and rubber gaskets	M	48
1.2	40mm dia. GI Pipe Class "B" double socketed	M	12
1.3	280mm dia. uPVC Pipe PN 6 complete with rubber rings	M	30
1.4	160mm dia. uPVC Pipe PN 6 complete with rubber rings	M	930
1.5	90mm dia. uPVC Pipe PN 8 complete with rubber rings	M	2040
1.6	63mm dia. uPVC Pipe PN 8	M	1548
1.7	50mm dia. uPVC Pipe PN 10	M	4950
1.8	32mm dia. uPVC Pipe PN 12.5	M	1230
2.0	C I and a DVC Pin a Fittin as		
	G.I and uPVC Pipe Fittings	Ma	2
2.1	GI Bend 150mm dia. x 90 deg. double flanged Class "B" complete with bolts, nuts, washers and rubber gaskets	№	
2.2	GI Bend 150mm dia. x 45 deg. double flanged Class "B" complete with bolts, nuts, washers and rubber gaskets	№	2
2.3	.uPVC Bend 160mm dia. x 22.5 deg PN 10 complete with rubber rings	№	2
2.4	uPVC Bend 160mm dia. x 11.25 deg. PN 10 complete with rubber rings	№	3
2.5	uPVC Bend 160mm dia. x 45 deg. PN 10 complete with rubber rings	№	4
2.6	VJ coupling 160mm dia. complete with bolts, nuts, washers and rubber rings	No	3
2.7	Sluice valve 150mm dia. flanged (Crane UK PN 7) complete with bolts, nuts, washers and rubber gaskets	Nº	1
2.8	Sluice valve 100mm dia. flanged (Crane UK PN 7) complete with bolts, nuts, washers and rubber gaskets	№	1
2.9	80mm Gate valve (Pegler)	$N_{\overline{0}}$	1
2.10	50mm dia. Gate valve (Pegler)	№	21
2.11	40mm Gate valve (Pegler)	№	5

2.12 25mm dia. Gate valve (Pegler) № 3 2.13 GI/uPVC Flanged Adaptor 150mm dia. complete with bolts, nuts, washers and rubber gaskets № 12 2.14 GI/uPVC Flanged Adaptor 100mm dia. complete with bolts, nuts, washers and rubber gaskets № 2 2.15 Metal Saddle clamp 150mmx 50mm dia. c/w bolts, nuts, washers and rubber lining № 13 2.16 Metal Saddle clamp 150mmx 40mm c/w bolts, nuts, washers and rubber lining 4 4 2.17 Metal Saddle clamp 100mmx 50mm dia. c/w bolts, nuts, washers and rubber lining Ne 2 2.18 Metal Saddle clamp 80mmx 50mm dia. c/w bolts, nuts, washers and rubber lining Ne 3 2.19 Metal Saddle clamp 80mmx 40mm dia. c/w bolts, nuts, washers and rubber lining Ne 3 2.20 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining Ne 1 2.21 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining Ne 1 2.22 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber gaskets Ne 1 2.23 25mm dia. Single orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets				
with bolts, nuts, washers and rubber gaskets 2.14 GI /µPVC Flanged Adaptor 100mm dia. complete with bolts, nuts, washers and rubber gaskets 2.15 .Metal Saddle clamp 150mmx 50mm dia. c/w bolts, nuts, washers and rubber lining 2.16 Metal Saddle clamp 150mmx 40mm c/w bolts, nuts, washers and rubber lining 2.17 Metal Saddle clamp 100mmx 50mm dia. c/w bolts, nuts, washers and rubber lining 2.18 Metal Saddle clamp 100mmx 50mm dia. c/w bolts, nuts, washers and rubber lining 2.19 Metal Saddle clamp 80mmx 50mm dia. c/w bolts, nuts, washers and rubber lining 2.19 Metal Saddle clamp 80mmx 50mm dia. c/w bolts, nuts, washers and rubber lining 2.20 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.21 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.22 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.23 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.24 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.25 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.26 Somm dia. Single orifice Air Valve flanged № 11 2.27 Somm dia. Single orifice Air Valve flanged № 2 2.28 2.28 2.29 Somm dia. x 0.5m long GI spigot flanged № 2 2.29 2.29 2.29 2.20 2.2	2.12	25mm dia. Gate valve (Pegler)	$N_{\overline{0}}$	3
2.15 .Metal Saddle clamp 150mmx 50mm dia. c/w bolts, nuts, washers and rubber lining № 13 2.16 Metal Saddle clamp 150mmx 40mm c/w bolts, nuts, washers and rubber lining № 4 2.16 Metal Saddle clamp 150mmx 40mm c/w bolts, nuts, washers and rubber lining № 2 2.17 Metal Saddle clamp 100mmx 50mm dia. c/w bolts, nuts, washers and rubber lining № 3 2.18 Metal Saddle clamp 80mmx 50mm dia. c/w bolts, nuts, washers and rubber lining № 3 2.19 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining № 1 2.20 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining № 1 2.21 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining № 1 2.22 Somm dia. Single orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.23 25mm dia. X 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.26 50mm dia. x 0.3m long GI pipe piece th	2.13		№	12
2.16 Metal Saddle clamp 150mmx 40mm c/w bolts, nuts, washers and rubber lining 4 2.17 Metal Saddle clamp 100mmx 50mm dia. c/w bolts, nuts, washers and rubber lining № 2 2.18 Metal Saddle clamp 80mmx 50mm dia. c/w bolts, nuts, washers and rubber lining № 3 2.19 Metal Saddle clamp 80mmx 40mm dia. c/w bolts, nuts, washers and rubber lining № 3 2.20 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining № 1 2.21 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining № 2 2.21 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining № 1 2.22 50mm dia. Double orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.23 25mm dia. Single orifice Air Valve № 2 2.24 150mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.25 100mm dia. x 0.5m long GI pipe piece threaded both sides № 11 2.26 50mm dia. x 1.2m long GI pipe piece threaded both sides № 11 2.27	2.14	<u> </u>	Nº	2
washers and rubber lining 2.17 Metal Saddle clamp 100mmx 50mm dia. c/w bolts, nuts, washers and rubber lining 2.18 Metal Saddle clamp 80mmx 50mm dia. c/w bolts, nuts, washers and rubber lining 2.19 Metal Saddle clamp 80mmx 40mm dia. c/w bolts, nuts, washers and rubber lining 2.20 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.21 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.22 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.22 S0mm dia. Double orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets 2.23 25mm dia. Single orifice Air Valve № 2 2 2 2 2 2 2 2 2	2.15	=	№	13
2.18 Metal Saddle clamp 80mmx 50mm dia. c/w bolts, nuts, washers and rubber lining № 3 2.19 Metal Saddle clamp 80mmx 40mm dia. c/w bolts, nuts, washers and rubber lining № 3 2.20 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining № 1 2.21 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining № 2 2.22 50mm dia. Double orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets № 11 2.23 25mm dia. Single orifice Air Valve № 2 2.24 150mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.25 100mm dia. x 0.5m long GI pipe piece threaded both sides № 11 2.26 50mm dia. x 1.2m long GI pipe piece threaded both sides № 11 2.27 50mm dia. x 1.2m long GI pipe piece threaded both sides № 2 2.29 90mm x 63mm dia. uPVC Reducing Socket № 1 2.30 63mm	2.16		№	4
nuts, washers and rubber lining 2.19 Metal Saddle clamp 80mmx 40mm dia. c/w bolts, nuts, washers and rubber lining 2.20 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.21 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.22 50mm dia. Double orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets 2.23 25mm dia. Single orifice Air Valve 2.24 150mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets 2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets 2.26 50mm dia. x 1.2m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets 2.26 50mm dia. x 1.2m long GI pipe piece threaded both sides 2.27 50mm dia. x 1.2m long GI pipe piece 1 side flanged and 1 side threaded 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides 2.29 90mm x 63mm dia. uPVC Reducing Socket 2.30 63mm x 50mm uPVC Reducing Socket 2.31 50mm x 32mm uPVC Reducing Socket 2.32 40mm dia. Long nipple 2.33 25mm dia. Long nipple 2.34 40mm GI plain socket 2.35 25mm dia. GI socket 2.36 90mm valve socket 2.37 No 11 No 2 11	2.17	<u> </u>	№	2
nuts, washers and rubber lining 2.20 Metal Saddle clamp 80mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.21 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.22 50mm dia. Double orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets 2.23 25mm dia. Single orifice Air Valve 2.24 150mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets 2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets 2.26 50mm dia. x 0.5m long GI pipe piece threaded both sides 2.27 50mm dia. x 1.2m long GI pipe piece threaded both sides 2.28 25mm dia. x 1.2m long GI pipe piece 1 side flanged and 1 side threaded 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides 2.29 90mm x 63mm dia. uPVC Reducing Socket 2.30 63mm x 50mm uPVC Reducing Socket 2.31 50mm x 32mm uPVC Reducing Socket 2.32 40mm dia. Long nipple 2.33 25mm dia. Long nipple 2.34 40mm GI plain socket 2.35 25mm dia. GI socket 2.36 90mm valve socket 2.6 No 1 2.7 Somm valve socket 2.7 Somm valve socket 2.8 Somm dia. Long nipple 2.9 Somm dia. GI socket 2.9 Somm dia. GI socket 2.9 Somm valve socket 2.9 Somm dia. Somm valve socket 2.9 Somm valve socket 2.9 Somm dia. Somm valve socket 2.9 Somm valve socket 2.9 Somm valve socket 2.9 Somm dia. Somm valve socket 2.9 Somm valve socket	2.18	•	№	3
nuts, washers and rubber lining 2.21 Metal Saddle clamp 40mmx 25mm dia. c/w bolts, nuts, washers and rubber lining 2.22 50mm dia. Double orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets 2.23 25mm dia. Single orifice Air Valve № 2 2 2.24 150mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets 2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets 2.26 50mm dia. x 1.2m long GI pipe piece threaded both sides 2.27 50mm dia. x 1.2m long GI pipe piece 1 side flanged and 1 side threaded 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides 2.29 90mm x 63mm dia. uPVC Reducing Socket № 1 2.30 63mm x 50mm uPVC Reducing Socket № 1 2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 1 2.36 90mm valve socket № 2 2.36 90mm valve socket № 1 2.36 90mm valve socket № 2 2.37 2.38 90mm valve socket № 2 2.39 90mm valve socket № 2 2.39 90mm valve socket № 2 2.30 90mm valve socket № 2 2.36 90mm valve socket № 2 2.37 2.38 90mm valve socket № 2 2.39 90mm valve socket № 2 2.39 90mm valve socket № 2 2.30 90mm valve socket № 2 2.39 90mm valve socket № 2 2.30	2.19	Metal Saddle clamp 80mmx 40mm dia. c/w bolts,	№	3
nuts, washers and rubber lining 11 2.22 50mm dia. Double orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets № 11 2.23 25mm dia. Single orifice Air Valve № 2 2.24 150mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.26 50mm dia. x 1.2m long GI pipe piece threaded both sides № 11 2.27 50mm dia. x 0.3m long GI pipe piece 1 side flanged and 1 side threaded № 11 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides № 2 2.29 90mm x 63mm dia. uPVC Reducing Socket № 1 2.30 63mm x 50mm uPVC Reducing Socket № 3 2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 1 2.36	2.20	Metal Saddle clamp 80mmx 25mm dia. c/w bolts,	№	1
2.22 50mm dia. Double orifice Air Valve flanged complete with bolts, nuts, washers and rubber gaskets № 11 2.23 25mm dia. Single orifice Air Valve № 2 2.24 150mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 1 2.26 50mm dia. x 1.2m long GI pipe piece threaded both sides № 11 2.27 50mm dia. x 0.3m long GI pipe piece 1 side flanged and 1 side threaded № 11 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides № 2 2.29 90mm x 63mm dia. uPVC Reducing Socket № 1 2.30 63mm x 50mm uPVC Reducing Socket № 3 2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2 <td>2.21</td> <td></td> <td>№</td> <td>2</td>	2.21		№	2
2.24 150mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets Nº 2 2 2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets Nº 2 2 2.26 50mm dia. x 1.2m long GI pipe piece threaded both sides Nº 11 11 2.27 50mm dia. x 0.3m long GI pipe piece 1 side flanged and 1 side threaded Nº 11 11 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides Nº 2 2 2.29 90mm x 63mm dia. uPVC Reducing Socket Nº 1 3 2.30 63mm x 50mm uPVC Reducing Socket Nº 3 1 2.31 50mm x 32mm uPVC Reducing Socket Nº 1 2 2.32 40mm dia. Long nipple Nº 2 2 2.33 25mm dia. Long nipple Nº 2 3 2.34 40mm GI plain socket Nº 3 3 2.35 25mm dia. GI socket Nº 1 1 2.36 90mm valve socket Nº 2 2	2.22	50mm dia. Double orifice Air Valve flanged complete with bolts, nuts, washers and rubber	Nº	11
complete with bolts, nuts, washers and rubber gaskets 2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.26 50mm dia. x 1.2m long GI pipe piece threaded both sides № 11 2.27 50mm dia. x 0.3m long GI pipe piece 1 side flanged and 1 side threaded № 11 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides № 2 2.29 90mm x 63mm dia. uPVC Reducing Socket № 1 2.30 63mm x 50mm uPVC Reducing Socket № 3 2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 1	2.23	25mm dia. Single orifice Air Valve	$N_{\overline{0}}$	2
2.25 100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber gaskets № 2 2.26 50mm dia. x 1.2m long GI pipe piece threaded both sides № 11 2.27 50mm dia. x 0.3m long GI pipe piece 1 side flanged and 1 side threaded № 11 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides № 2 2.29 90mm x 63mm dia. uPVC Reducing Socket № 1 2.30 63mm x 50mm uPVC Reducing Socket № 3 2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2	2.24	complete with bolts, nuts, washers and rubber	Nº	2
sides 11 2.27 50mm dia. x 0.3m long GI pipe piece 1 side flanged and 1 side threaded № 11 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides № 2 2.29 90mm x 63mm dia. uPVC Reducing Socket № 1 2.30 63mm x 50mm uPVC Reducing Socket № 3 2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2	2.25	100mm dia. x 0.5m long GI spigot flanged complete with bolts, nuts, washers and rubber	Nº	2
and 1 side threaded 2.28 25mm dia. x 1.2m long GI pipe piece threaded both sides № 2 2.29 90mm x 63mm dia. uPVC Reducing Socket № 1 2.30 63mm x 50mm uPVC Reducing Socket № 3 2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2	2.26	0 11 1	№	11
sides 2.29 90mm x 63mm dia. uPVC Reducing Socket № 1 2.30 63mm x 50mm uPVC Reducing Socket № 3 2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2	2.27	and 1 side threaded		11
2.30 63mm x 50mm uPVC Reducing Socket № 3 2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2		sides	№	
2.31 50mm x 32mm uPVC Reducing Socket № 1 2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2	2.29	90mm x 63mm dia. uPVC Reducing Socket	$N_{\overline{0}}$	1
2.32 40mm dia. Long nipple № 2 2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2	2.30	63mm x 50mm uPVC Reducing Socket	№	3
2.33 25mm dia. Long nipple № 2 2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2	2.31	50mm x 32mm uPVC Reducing Socket	No	1
2.34 40mm GI plain socket № 3 2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2	2.32	40mm dia. Long nipple	№	2
2.35 25mm dia. GI socket № 1 2.36 90mm valve socket № 2	2.33	25mm dia. Long nipple	№	2
2.36 90mm valve socket № 2	2.34	40mm GI plain socket	№	3
	2.35	25mm dia. GI socket	No	1
2.37 63mm dia valve socket № 21	2.36	90mm valve socket	№	2
	2.37	63mm dia valve socket	№	21

2.38	50mm Valve socket	No	13
2.39	32mm valve socket	No	2
2.40	40mm G.I End cap	No	2
2.41	25mm GI End cap	No	3
	Water Meters		
3.1	Water Meters 6" Master meter	№	1
3.1		Nº Nº	1 200

C) GACHARU IRRIGATION PROJECT

Item	Description	Unit	Quantity
1.0	Supply of pipes and fittings		
1.1	40mm dia uPVC PN10	M	1440
1.2	200mm GI pipes class B	M	108
1.3	40mm gate valve	No	3
1.4	200mm dia Master meter	No	1
1.3	20mm service water meters	No	181

D) THATHAWA IRRIGATION PROJECT

REHABILITATION OF INTAKE AND INSTALLATION OF PIPELINE			
		Unit	Qty
Item	Description		
1.1	280mm dia Upvc PN6	M	174
1.2	200 mm dia Upvc PN6	M	588
1.3	110mm dia Upvc PN6	M	1728
1.4	90mm dia Upvc PN8	M	438
1.5	10"×10"×4" Saddle clamp	No	1
1.6	4" Gate valve	No	1
1.7	200mm sluice valve	No	1
1.8	200mm Adoptors	No	2
1.9	280mm×200mm reducers	No	1
2.0	4"valve sockets	No	4
2.1	4" uPVC 90 ⁰ bend	No	1

2.2	4" GI end caps	No	1
2.3	3" GI end caps	No	2
2.4	110mm×90mm uPVC reducers	No	2
2.5	3"valve sockets	No	2
2.6	4"×4" uPVC tee	No	1
2.7	280mm dia master meter	No	1
2.8	20mm Service water metres	No	98

a) Equipments

Country of Origin :

Material Grade :

Coating :

Lining :

Manufacturer :

Place of Manufacture :

Standard of Manufacture :

Inspection and Testing :

a) Equipment's fittings and attachments

Country of Origin : Material : Manufacturer : Place of Manufacture : Standard of Manufacture : Inspection and Testing

LOT 1. – uPVC PIPES AND FITTINGS

ITEM	DESCRIPTION	UNIT	QTY	RATE Ksh.	AMOUNT Ksh.
1.0	uPVC Pipe work				
	Provide and supply to site and test the following flexible spigot and socket pipes and fittings with rubber ring joints. Pipe dimensions / working pressures shall Conform to KS-06-149 Part 2: 2000. Class Working pressure (m) B (PN 6) 60 C (PN 10) 90 D (PN 12.5) 120 E (PN 16) 150				
	UPVC Straight pipes.				
1.01	280 mm diameter uPVC pipes PN 6	M	204		
1.02	200 mm diameter uPVC pipes PN 6	M	588		
1.03	150 mm diameter uPVC pipes PN8	M	126		
1.04	100 mm diameter uPVC pipes PN 8	M	552		
1.05	90 mm diameter uPVC pipes PN8	M	2478		
1.06	160 mm diameter uPVC pipes PN 6	M	930		
1.07	63 mm diameter uPVC pipes PN 8	M	1548		
1.08	50 mm diameter uPVC pipes PN10	M	4950		
1.09	110 mm diameter uPVC pipes PN 6	M	1728		
1.10	40 mm diameter uPVC pipes PN 10	M	1440		
1.11	32 mm diameter uPVC pipes PN 12.5	M	1230		
1.12	uPVC fittings (Horizontal Bends)				
1.13	Diameter 160mm 22.5 ⁰	No	2		

1.14	160mm 11.5 ⁰	No	3	
1.15	160mm 45 ⁰	No	4	
1.17	100mm 90 ⁰	No	1	
1.18	75mm x 50mm reducer socket	No	1	
1.19	280mm x 200mm reducer socket	No	1	
1.20	110mm x 90mm reducer socket	No	2	
1.21	100mm x 100mm uPVC Tee	No	1	
1.22	90mm x 63mm reducer socket	No	1	
1.23	63mm x 50mm reducer socket	No	3	
1.24	50mm x 32mm reducer socket	No	1	
1.25		No		
1.26		No		
1.27		No		
		No		
	Total carried to summary			

LOT 2: G.I PIPES AND FITTING

ITEM	DESCRIPTION	UNIT	QTY	RATE Ksh.	AMOUNT Ksh.
2.0	150mm dia GI class B pipes double flanged with bolts, nuts, washers and rubber rings	M.	48		
2.1	40mm dia GI double socketed	M	12		
2.2	150mm×0.5m long GI spigot flanged with bolts,nuts, washers and rubber rings	No	2		

2.3	100mm×0.5m long GI spigot flanged with bolts,nuts, washers and rubber rings	No	2
2.4	50mm×1.2m long GI pipe threaded both sides	No	11
2.5	50mm×0.3m long flanged one side and threaded on one side	No.	11
2.6	25mm×1.2m long GI piece threaded both sides	No.	2
2.7	150mm flanged adaptor	No.	12
2.8	100mm flanged adaptor	No.	2
2.9	200mm adaptor	No	2
2.10	20mm service Water meters	No.	542
2.11	150mm master meter with all its accessories	No	1
2.12	200mm master meter with all its accessories	No	1
2.13	280mm master meter with all its accessories	No	1
2.14	150mm 90 ⁰ double flanged bend with bolts, nuts, washers and rubber rings	No	2
2.15	150mm 45 ⁰ double flanged bed with bolts, nuts, washers and rubber rings	No	2
2.16	200mm GI pipe	M	108
2.17	100mm gate valve with all its accessories	No	1
	Total carried to summary		

LOT 3: AIR VALVES AND SECTONAL VALVES

ITEM	DESCRIPTION	UNIT	QTY	RATE Ksh.	AMOUNT Ksh.
3.0	AIR VALVES				
3.1	Provide, handle and test following steel and uPVC pipes and fittings, valves and specials. Special rates shall include for completing all pipes Joint				
3.2	25mm diameter single orifice air valve	No.	2		
3.3	50mm diameter double orifice air valve flanged with bolts, nuts, washers and rubber rings	No.	11		
3.4	150mm sluice valve flanged with bolts, nuts, washer rubber rings(crane UKPN7)	No.	1		
3.5	100mm sluice valve flanged with bolts, nuts, washers and rubber rings(crane UKPN7)	No.	1		
3.6	40mm long GI nipple	No.	2		
3.6	25mm long GI nipple	No.	2		
3.7	80mm gate valve	No.	1		
3.8	50mm gate valve	No.	21		
3.9	40mm gate valve	No.	8		
3.10	25mm gate valve	No.	3		
3.11	200mm dia sluice valve with all its accessories	No.	1		
3.12	75mm valve sockets	No.	2		
3.13	100mm valve sockets	No.	4		
3.14	40mm GI plain sockets	No.	3		
3.15	25mm GI valve sockets	No.	1		
3.16	90mm valve sockets	No	2		
3.17	63mm valve sockets	No	21		
3.18	50mm valve sockets	No	13		

3.19	32mm valve sockets	No	2	
3.20	40mm GI end cap	No	2	
3.21	25mm GI end cap	No	3	
3.22	100mm GI end cap	No	1	
3.23	75mm GI end cap	No	2	
	WASHOUTS (W/O)			
	Provide, handle, install and test the following, steel and uPVC pipes and fittings, valves and specials. Rate shall include completion and pipe protection at all pipe joints as specified and drawings.			
3.45	150mm x 50mm (1") saddle clamp	No	13	
3.46	150mm x 40mm (1") saddle clamp	No	4	
3.47	100mm x 50mm (1") saddle clamp	No	2	
3.48	80mm x 50mm saddle clamp	No	3	
3.49	80mm x 40mm saddle clamp	No	3	
3.50	80mm x 25mm saddle clamp	No	1	
3.51	40mm x 25mm saddle clamp	No	2	
3.52	250mm x 250mm x100mm saddle clamp	No	1	
3.53	160mm VJ coupling with bolts, nuts, washers and rubber rings	No	3	
	Total carried to summary			

SUMMARY TABLE

ITEM	DESCRIPTION	UNIT	QTY	RATE Ksh.	AMOUNT Ksh.
1.0	LOT 1. – uPVC PIPES AND FITTINGS				
2.0	LOT 2: G.I PIPES AND FITTING				
3.0	LOT 3: AIR VALVES AND SECTONAL VALVES				
	Add 16% V.A.T				
	Total bills from summary pages.				

SECTION VI- SCHEDULE OF REQUIREMENTS

6.1 Materials Delivery Schedule

Delivery Schedule form from the Date of Commencement of contract

LOT	DESCRIPTION	Quantity	Delivery Schedule
Lot 1	uPVC PIPES AND FITTINGS	All	30 days
Lot 2	G.I PIPES AND FITTING	All	30 days
Lot 3	AIR VALVES AND SECTONAL VALVES	All	30 days

Tenderers are to submit a detailed delivery programme for each item within the limits specified.

6.2 General Description of Goods

6.2.1: Introduction

This contract is for supply of pipes and fittings for The Procuring Entity. The supply contract will be for a period of 30 days. Under this contract, pipes and fittings will be required for will be procured and delivered to the place specified in the tender document.

6.2.2: Location and Climatic Conditions

The Four projects are located in Murang'a County. The details of the actual delivery points (in item 3.10.1 SCC) can be obtained at the County Project Coordinator's office situated in Murang'a town.

The climate in the area is characterized as high/medium. Annual rainfall is about 1500mm and temperatures range 15–27 °C.

The Tenderer has to take into account of the climate conditions of the area in his proposal to ensure that the pipes and fittings are stored in suitable area before acceptance.

6.2.3: GENERAL

The Tenderer in his Tender shall have selected the lot(s) which he/she proposes to offer as per Specifications and as set out and described in the Schedule of Prices.

The Tenderer shall not change the goods sizes or numbers without the express permission of The Procuring Entity or his Representative. All the items in each lot should be fully filled.

6.2.4: IDENTIFICATION AND MARKING

Before delivery, all items shall be clearly marked. All crates or packages shall be marked on two sides with indelible paint with the name of the project, the Procuring Entity, and the Contract number and shall also bear marks indicating the contents.

Equipment shall be clearly marked by figures together with Project name, Contract number, item numbers or reference numbers corresponding to the appropriate items or reference numbers in the Bills of Quantities. Bags or crates containing parts for joints and attachments shall be clearly labeled as to the contents.

6.2.5: TESTS OF MATERIALS

Tests on goods shall be carried out at the place of manufacture and at the final point of delivery as specified hereof and these tests shall be subject to witnessing / examination by the UTaNRMP's Representative.

6.2.6: PROTECTION IN TRANSIT

The goods shall be protected in transit by wide rings of padding securely attached to them, the padding being both thick and strong enough to keep them apart when attached. .

6.2.7: HANDLING

Loading, unloading and handling shall be carried out with the least possible impact using such handling equipment so as to prevent damage to the exterior of the goods.

The Tenderer shall make arrangements to ensure that such equipment as above is used throughout transit.

It shall be the Tenderer's responsibility to ensure that line cables, chains, hooks, metal bars and the like shall not be permitted to come into contact with the goods. During loading, unloading and handling the tenderer shall also ensure that particular care be taken to avoid distortion, flattening, denting, cracking and scoring or any other damage to the chemicals and equipments.

The Tenderer shall obtain and provide to the UTaNRMP's Representative if requested to do so, the entire manufacturer's specifications relating to the proper handling, storage, laying, installation and testing of their products and shall make them or copies thereof available to the Engineer on site.

6.2.08: STOCKING AND STORAGE

Chemicals and equipment shall be stacked in accordance with the manufacturer's recommendations.

The Tenderer to submit proposals for such protection methods with the Documents for approval of the UTaNRMP's representative if required to do so. All water works equipment to be store in lockable sheds. The works for all these protective measures is deemed to be covered in the Tenderer's rates. Materials provided for use in transit protection to equipment shall be retained in position.

6.2.09: INSPECTION

The pipes and fittings shall be subject to inspection by the Engineer or his Representative. The Tenderer shall at all reasonable times allow the Engineer or his Representative free access to the place of inspection. The tenderer shall provide all necessary facilities and test equipment which may be required for the proper testing and inspection to be carried out to the satisfaction of the Engineer or his Representative.

6.2.10: PACKING FOR TRANSPORT

All the pipes and equipment should be packed as per manufacturer's requirements and UTaNRMP's Representative's approval.

6.2.11: MANUFACTURER'S CERTIFICATE

The Tenderer shall supply to The Procuring Entity or his agent a signed certificate from the manufacturer stating that the equipment comply in all aspect with the

provisions of the specification and the indicated National or International Standards.

6.2.12: ON-SITE INSPECTION

All pipes and fittings shall be inspected upon arrival at the storage areas for damage to:

- The pipes and fittings
- External coatings (if any)
- Internal linings (if any)
- Jointing surfaces (including sockets if any)
- Any other internal or external parts of the equipment

The Tenderer shall be responsible for and shall undertake any remedial work required by the Engineer or his Representative as appropriate or where deemed necessary, replace defective equipments, fittings and equipment. All expenses in connection with such remedial works or replacements shall be deemed covered by the Tenderer.

6.2.13: HANDLING AND TRANSPORT OF GOODS

The UTaNRMP's Representative will reject any pipes and fittings which have been damaged due to handling procedures and methods of transport and shipping:

a) In the event of any damage being caused, the Tenderer shall be liable for the cost of repairs or replacements and the costs of any delays. The UTaNRMP's Representative shall determine whether the damage shall be repaired, and if it is to be repaired the manner of such repair or whether the damaged piece shall be replaced.

6.2.14: STORAGE OF GOODS

The Tenderer shall only store pipes and fittings and other materials at places approved by the UTaNRMP's Representative, and shall provide a watchman to prevent theft or damage until he has completed the order and the order is accepted by the client. Any damage incurred due to lack of such supervision or protection will be the Tenderer's responsibility.

6.2.15: STORAGE AREA

The Bidder will provide the description/drawings of stacking arrangement of the goods in the storage area. The Tenderer will confirm that the proposed arrangement is in accordance with the Manufacturer's recommendations or will propose modifications that shall be acceptable to both the manufacturer and the UTaNRMP's Representative

The Tenderer shall be expected to assist in maintenance of the storage area in accordance with manufacturer's requirements, until such time when all the Goods have been delivered to the storage area, and accepted.

The Tenderer shall allow the removal of the Goods from the storage area only upon receipt of written instructions from the UTaNRMP's representative.

The Tenderer shall be responsible for the preparation of the storage area and shall hand it over to The Procuring Entity upon completion. No deliveries shall be made until the storage area has been prepared and accepted by the Procuring Entity. The storage site must meet the UTaNRMP's Representative's approval.

6.2.16: ACCEPTANCE OF GOODS

Goods will only be finally accepted in the storage area when the following conditions have been observed:-

- (a) All coating and other repairs have been made good.
- (b) All fittings and boxes are laid out.
- (c) The Engineer, or his representative, has carried out a final inspection.

6.2.17: STANDARDS

The goods shall comply in all respects with national and internationally recognized standard, codes of practice or regulations.

Standard cited in the specification may be obtained in the relevant Standard Institutions whose principal offices are as follows:-

BRITISH STANDARDS INSTITUTION

2 PARK STREET LONDON W1A2BS ENGLAND

AMERICAN PETROLEUM INSTITUTE

PUBLICATIONS AND DISTRIBUTION SECTION 2101 L STREET NORTHWEST WASHINGTON D.C. 20037 U.S.A.

INTERNATIONAL STANDARDS ORGANISATION

1, RUE DE VAREMBE CASE POSTALE 56 CH 1211 GENEVA 20 SWITZERLAND

AMERICAN WATER WORKS ASSOCIATION

666 WEST QUINCY AVENUE DENVER COLORADO 80235 U.S.A. KEYA BEREAU OF STANDARDS KEBS KAPITI ROAD, OFF MOMBASA ROAD BEHIND BELLE VUE CINEMA, P.O.BOX OO20054974 NAIROBI- KENYA.

6.2.18: ABBREVIATIONS

a) ORGANISATIONS

ASTM American Society for Testing and Materials
AWWA American Water Works Association
DIN Deutches Institute for Normung
BS British Standard
IDA International Development Association
IEC International Organisation for Standardisation
ISO International Organization for Standardisation

API American Petroleum Institute IEE Institution of Electrical Engineers

b) UNITS

°C degrees Celsius cc Cubic Centimetres

cm Centimetre

g gramme
" inch
' feet

in square inches
kg kilograms
kgf kilogram force
km kilometer
kN kilo Newton
Ib pound (weight)
l/s litre per second

m metre

 $\begin{array}{ll} m^2 & \text{square metre} \\ m^3 & \text{cubic metre} \\ mm & \text{millimetre} \end{array}$

mm square millimeter

N newton kW kilowatt

mg/d million gallons per day mg/l milligramme per litre g/l gramme per litre

lb pound

kVA kilo volt amperekA kilo ampereA amperemA milliampere

V Volt

c) OTHERS

BSCP British Standard Code of Practice BSP British Standard Pipe (Thread) CP British Standard Code of Practice

DI Ductile Iron
DN Normal Diameter
GMS Galvanised Mild Steel

MDPE medium density polyethylene

No. Number

NP Nominal Pressure OD Outside Diameter

% Percentage

UK United Kingdom of Great Britain and Northern Ireland

O & M Operating and Maintenance
SI International System of Units
UPVC Unplasticised Polyvinyl Chloride
GRP Glass Fibre Reinforced Polyester
EPDM Ethylene Propylene Rubber
RPM Revolutions Per Minute

42

SECTION VII PRICE SCHEDULE FOR GOODS Name of tenderer _______ Tender Number ________ page _________ of 1 2 3 4 5 6 7

1	2	3	4	5	6	7
Item	Description	Country of origin	Quantit <u>y</u>	Unit price	Total Price EXW per item (cols. 4x5)	Unit price of other incidental services payable

Signature of tenderer	

Note: In case of discrepancy between unit price and total, the unit price shall prevail.

SECTION VIII - STANDARD FORMS

Notes on the sample Forms

- 1. Form of Tender The form of tender **must be** completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.
- 2. Confidential Business Questionnaire Form This form **must be** completed by the tenderer and submitted with the tender documents.
- 3. Tender Security Form When required by the tender documents the tender shall provide the tender security either in the form included herein or in another format acceptable to the procuring entity.
- 4. Contract Form The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract Form shall be completed after contract award and should incorporate the accepted contract price.
- 5. Performance Security Form The performance security form should not be completed by the tenderers at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the form provided herein or in another form acceptable to the procuring entity.
- 6. Bank Guarantee for Advance Payment Form When Advance payment is requested for by the successful tenderer and agreed by the procuring entity, this form must be completed fully and duly signed by the authorized officials of the bank.
- 7. Manufacturers Authorization Form When required by the ender documents this form must be completed and submitted with the tender documents. This form will be completed by the manufacturer of the goods where the tenderer is an agent.
- **8. Anti-Corruption Declaration Commitment/ Pledge** Each Tenderer must submit a statement, as part of the Tender documents, in the format given below which must be signed personally by the Chief Executive Officer or other appropriate senior corporate officer of the Tendering company and, where relevant, of its subsidiary in the Kenya. If a Tender is submitted by a subsidiary, a statement to this effect will also be required of the parent company, signed by its Chief Executive Officer or other appropriate senior corporate officer.

8.1 **FORM OF TENDER**

		Date
		Tender No
To:		
[name and addres	rs of procuring enti	ty]
Gentlemen and/or Ladies	:	
Nos. acknowledged, we, the u AND FITTINGS, b. Lot 2 c. Lot 3: AIR VALVES A documents for the sum of and Kshs.	ndersigned, offer to 2 G.I PIPES AND I AND SECTONAL Kshsres	VALVES in conformity with the said tender, Kshsspectively totaling to Kshs(in figures)
	ns as may be asce	ertained in accordance with the Schedule of is Tender.
		eccepted, to deliver install and commission the ery schedule specified in the Schedule of
	percent of the	Il obtain the guarantee of a bank in a sum of e Contract Price for the due performance of NRMP.
date fixed for tender oper	ning of the Instruct	for a period of [number] days from the ions to tenderers, and it shall remain binding fore the expiration of that period.
	-	your written acceptance thereof and your ntract, between us. Subject to signing of the
6. We understand may receive.	l that you are not b	bound to accept the lowest or any tender you
		20
[signature]		[in the capacity of]
Duly authorized to sign to	andar for an an hab	alf of
DILLA ALITHOLIZEO TO SIGN 16	ander for an on ben	all UI

8.2 **CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM**

Part 1 – General:

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2 (c) whichever applied to your type of business

You are advised that it is a serious offence to give false information on this form

Busi	iness Name				
Loca	ation of busines	s premises			
Plot	No		Street/Road		
Post	al Address		Tel No	Fax	
E ma	ail	· ·			
Natu	are of Business				
Regi	istration Certifi	cate No			
Max	imum value of	business which	you can handle at any	one time – Kshs.	
Nam	ne of your bank	ers	Bı	anch	
			Part 2 (a) – Sole Prop	rietor	
	Your name in				
	Nationality		Country of origin .		
		• Citize	enship details		
		•			
	G! 1 II		art 2 (b) Partnership		
	Given details Name	of partners as fo	ollows: Nationality	Citi	zenship Details
	Shares		rationality	Citi	Zensinp Betains
	1.				
	2.				
	3.				
	4.				
	Private or Pub		Part 2 (c) – Registere		
	State the nom	inal and issued	capital of company-		
	Nominal	Kshs			
	Issued	Kshs		· •	

No	Name	Nationality	Citizen Details	Shares
1				
2				
3				

• If a Kenya Citizen, indicate under "Citizenship Details" whether by Birth,
Naturalization or

registration.

8.3 TENDER SECURITY FORM

Whereas(hereinafter called "the		-	v	-
[date of submission of tender]:	for the supply, in	nstallation an	d commiss	sioning of
[name and	or description	of the equ	<i>uipment]</i> (here	einafter called
"the Tender")	-	KNOW	ALL PEOPLI	E by these
presents that WE	of		having	our registered
office at				
[name of	Procuring entity	y} (hereinafter o	called "the P	rocuring
entity") in the sum of	for	which pa	yment well ar	nd truly to be
made to the said Procuring enti		_	-	-
by these presents. Sealed v	with the Common	n Seal of the sai	d Bank this _	
day of	20			
•				
THE CONDITIONS of	this obligation a	are:-		
1 If the tendence w	.:411			l

- 1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer on the Tender Form; or
- 2. If the tenderer, having been notified of the acceptance of its by The Procuring Entity during the period of tender validity:
- (a) fails or refuses to execute the Contract Form, if required; or
- (b) fails or refuses to furnish the performance security in accordance with the Instructions to tenderers;

We undertake to pay to The Procuring Entity up to the above amount upon receipt of its first written demand, without The Procuring Entity having to substantiate its demand, provided that in its demand the Procuring entity will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This tender guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.

[signature of the bank]_____(Amend accordingly if provided by Insurance Company)

8.4 CONTRACT FORM

	AGREEMENT made the			
(herein	after called "the Procuring er] of [city and	g entity) of the o	ne part and	ntry of Procurement entity] [name of called "the tenderer") of the
the ten	-	ose goods in the s	sum of	and has accepted a tender by [contract
NOW 7	ΓHIS AGREEMENT WITN	JESSETH AS FOI	LLOWS:	
1. respect	In this Agreement word ively assigned to them in the	-		the same meanings as are to:
2. this Ag	The following documents reement viz:	shall be deemed t	o form and be	read and construed as part of
(a)	the Tender Form and the F	Price Schedule sub	mitted by the te	nderer
(b)	the Schedule of Requirement	ents		
(c)	the Technical Specificatio	ns		
(d)	the General Conditions of	Contract		
(e)	the Special Conditions of	contract; and		
(f)	the Procuring entity's Not	ification of Award		
	_	nereby covenants v	vith the Procuri	nring entity to the tenderer as ng entity to provide the goods provisions of the Contract
sum as	ons of the goods and the r	remedying of defe	cts therein, the	erer in consideration of the Contract Price or such other at the times and in the manner
	TNESS whereof the part			greement to be executed in ritten.
Signed,	, sealed, delivered by	the	(fe	or the Procuring entity
				or the tenderer in the presence

PERFORMANCE SECURITY FORM To [name of Procuring entity] "the tenderer") has undertaken, in pursuance of Contract No. [reference number of the contract] dated 20 to "the Contract"). AND WHEREAS it has been stipulated by you in the said Contract that the tenderer shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Tenderer's performance obligations in accordance with the Contract. AND WHEREAS we have agreed to give the tenderer a guarantee: THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on words and figure] and we undertake to pay you, upon your first written demand declaring the tenderer to be in default under the Contract and without cavil or argument, any sum or without you needing to prove or to show grounds or reasons for your demand or the sum specified therein. This guarantee is valid until the _____ day of _____ 20 ____ Signed and seal of the Guarantors [name of bank or financial institution] [address]

(Amend accordingly if provided by Insurance Company)

[date]

8.6 BANK GUARANTEE FOR ADVANCE PAYMENT FORM To [name of Procuring entity] [name of tender] Gentlemen and/or Ladies: In accordance with the payment provision included in the Special Conditions of Contract, which amends the General Conditions of Contract to provide for advance payment, [name and tenderer] (hereinafter called "the tenderer") shall deposit with The Procuring Entity a bank guarantee to guarantee its proper and faithful performance under the said Clause of words]. tenderer, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to The Procuring Entity on its first demand without whatsoever right of objection on our part and without its first claim to the tenderer, in the We further agree that no change or addition to or other modification of the terms of the Contract to be performed there-under or of any of the Contract documents which may be made between The Procuring Entity and the tenderer, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification. This guarantee shall remain valid in full effect from the date of the advance payment received by the tenderer under the Contract until [date]. Yours truly, Signature and seal of the Guarantors [name of bank or financial institution] [address] [date]

8.7 MANUFACTURER'S AUTHORIZATION FORM

To [name of the Procuring entity]	
WHEREAS	_ *
[name and/or description of the goods [address of factors	s] having factories at
	<i>int]</i> to submit a tender, and ith you against tender No.
We hereby extend our full guarantee and warranty as Contract for the goods offered for supply by the above Tenders.	<u>.</u>
signature for and on behal	f of manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent.

8.7 LETTER OF NOTIFICATION OF AWARD

	Address of Procuring Entity
	ender No
T	ender Name
	to notify that the contract/s stated below under the above mentioned tender have warded to you.
1.	Please acknowledge receipt of this letter of notification signifying your acceptance.
2.	The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3.	You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.
	(FULL PARTICULARS)

SIGNED FOR ACCOUNTING OFFICER

REPUBLIC OF KENYA

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NOOF20
BETWEEN
APPLICANT
AND
Request for review of the decision of the (Name of the Procuring Entity) of
dated the day of
Noof20
REQUEST FOR REVIEW
I/We,the above named Applicant(s), of address: Physical
address
Public Procurement Administrative Review Board to review the whole/part of the above
mentioned decision on the following grounds, namely:-
1.
2.
etc.
By this memorandum, the Applicant requests the Board for an order/orders that: -
1.
2.
etc
SIGNED(Applicant)
Dated onday of
FOR OFFICIAL USE ONLY
Lodged with the Secretary Public Procurement Administrative Review Board on
day of20
SIGNED Board Secretary

8.10 ANTI-CORRUPTION DECLARATION COMMITMENT/ PLEDGE

I/We/Messrs
of Street, Building, P O Box
Contact/Phone/E mail
I/We
declare that I/We will not offer or facilitate, directly or indirectly, any inducement or reward to any public officer, their relations or business associates, in connection with
Tender/Tender No
for or in the subsequent performance of the contract if I/We am/are successful.
Authorized Signature
Name and Title of Signatory